

SECTION 1: Identification of the hazardous chemical and of the supplier

1.1 Product identifier

Product name : Coffee Flower & Vanilla # :
 Product form : Mixture
 Product code :

1.2 Other means of identification

No additional information available

1.3 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Perfumes, Fragrances

1.4 Supplier's details

ZEN AROMA
 22c Portside Drive
 Mt Maunganui, 3116
 New Zealand
 PH: 07 578 4755
 support@zenaroma.co.nz

1.5 Emergency phone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil:
 +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

«ComplementaryInfo#tablefield»	Flammable liquids Category 4
«ComplementaryInfo#tablefield»	Skin corrosion/irritation Category 2
«ComplementaryInfo#tablefield»	Serious eye damage/eye irritation, Category 2
«ComplementaryInfo#tablefield»	Skin sensitization, Category 1
«ComplementaryInfo#tablefield»	Reproductive toxicity Category 2
«ComplementaryInfo#tablefield»	Hazardous to the aquatic environment - Chronic Hazard Category 2

2.2 Label elements

GHS NZ labelling

Hazard pictograms (GHS NZ) :



Signal word (GHS NZ) :

Warning

Contains :

Linalool (5.195 – 10.39 %); Benzyl salicylate (4.595 – 9.19 %); Iso E Super (2.5 – 5 %); Geraniol (0.87 – 1.74 %); Nerol (0.58 – 1.16 %); Cyclamal (0.575 – 1.15 %); Linalyl acetate (0.375 – 0.75 %); HELIOTROPINE (0.225 – 0.45 %); Bourgeonal (0.1 – 0.2 %); Myrac aldehyde (0.075 – 0.15 %); Helional (0.075 – 0.15 %); delta-Damascone (0.05 – 0.1 %); Geranyl acetate (0.05 – 0.1 %)

Hazard statements (GHS NZ) :

H227 - Combustible liquid
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H361 - Suspected of damaging fertility or the unborn child
 H411 - Toxic to aquatic life with long lasting effects

Prevention :

P202 - Do not handle until all safety precautions have been read and understood.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.

Response :

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3 Other hazards not contributing to the classification

No additional information available

Coffee Flower & Vanilla

Safety Data Sheet

SECTION 3: Composition and information of the ingredients of the hazardous chemical

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GHS NZ
Linalool	(CAS-No.) 78-70-6	5.195 – 10.39	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
2-Hydroxybenzoic acid, benzyl ester	(CAS-No.) 118-58-1	4.595 – 9.19	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Ethylene brassylate	(CAS-No.) 105-95-3	3.375 – 6.75	Aquatic Chronic 2, H411
Benzyl acetate	(CAS-No.) 140-11-4	2.975 – 5.95	Flam. Liq. 4, H227 Aquatic Chronic 3, H412
Iso E Super	(CAS-No.) 54464-57-2	2.5 – 5	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Geraniol	(CAS-No.) 106-24-1	0.87 – 1.74	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 3, H402
Oranger Crystals	(CAS-No.) 93-08-3	0.8 – 1.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Baccanol	(CAS-No.) 28219-61-6	0.725 – 1.45	Eye Irrit. 2, H319 Aquatic Chronic 1, H410
Nerol	(CAS-No.) 106-25-2	0.58 – 1.16	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 3, H402
Phenylethyl acetate	(CAS-No.) 103-45-7	0.575 – 1.15	Acute Tox. 5 (Oral), H303 Eye Dam. 1, H318
Cyclamal	(CAS-No.) 103-95-7	0.575 – 1.15	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalyl acetate	(CAS-No.) 115-95-7	0.375 – 0.75	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 3, H402
Undecavertol	(CAS-No.) 81782-77-6	0.35 – 0.7	Flam. Liq. 4, H227 Aquatic Acute 1, H400
Heliotropine crystals	(CAS-No.) 120-57-0	0.225 – 0.45	Skin Sens. 1, H317 Aquatic Acute 2, H401
Benzyl benzoate	(CAS-No.) 120-51-4	0.18 – 0.36	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
bourgeonal	(CAS-No.) 18127-01-0	0.1 – 0.2	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Repr. 2, H361 STOT RE 2, H373 Aquatic Chronic 3, H412
myrac aldehyde	(CAS-No.) 37677-14-8	0.075 – 0.15	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Helional	(CAS-No.) 1205-17-0	0.075 – 0.15	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Chronic 3, H412
delta-Damascone	(CAS-No.) 57378-68-4	0.05 – 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Geranyl acetate	(CAS-No.) 105-87-3	0.05 – 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

Coffee Flower & Vanilla

Safety Data Sheet

- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

- Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustible liquid.

5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzyl acetate (140-11-4)	
Malaysia - Occupational Exposure Limits	
PEL (OEL TWA) [1]	61 mg/m ³
PEL (OEL TWA) [2]	10 ppm
MEL (mg/m ³)	183 mg/m ³
MEL (ppm)	30 ppm
China - Occupational Exposure Limits	
Catalogue of Occupational Hazard Factors	Category 3 - Chemicals
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	10 ppm

Coffee Flower & Vanilla

Safety Data Sheet

Benzyl acetate (140-11-4)

ACGIH chemical category

Not Classifiable as a Human Carcinogen

Exposure limit values of other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection.

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Color	: light yellow, amber
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Evaporation rate	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point / Freezing point	: Melting point : Not applicable
Boiling point	: No data available
Flash point	: 89 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative density	: No data available
Density	: Relative density : ≈ 1.02
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Explosion limits	: No data available
Minimum ignition energy	: No data available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Coffee Flower & Vanilla

Safety Data Sheet

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Linalool (78-70-6)	
LD50 oral	2790 mg/kg body weight
2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LD50 oral rat	2227 mg/kg
LD50 oral	2200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg
Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg
Nerol (106-25-2)	
LD50 oral rat	4500 mg/kg
LD50 oral	4500 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg
Oranger Crystals (93-08-3)	
LD50 oral	2500 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg
Phenylethyl acetate (103-45-7)	
LD50 oral rat	3670 mg/kg
LD50 oral	2500 mg/kg body weight
LD50 dermal rabbit	6210 mg/kg
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg
LD50 oral	2700 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg
Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg body weight
bourgeonal (18127-01-0)	
LD50 oral rat	2700 mg/kg
LD50 oral	2500 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg
myrac aldehyde (37677-14-8)	
LD50 oral rat	7500 µl/kg
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg
delta-Damascone (57378-68-4)	
LD50 oral	1400 mg/kg body weight

Coffee Flower & Vanilla

Safety Data Sheet

Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Coffee Flower & Vanilla #	
Viscosity, kinematic	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Soil toxicity	: Not classified
Terrestrial vertebrate toxicity	: Not classified
Terrestrial invertebrate toxicity	: Not classified

2-Hydroxybenzoic acid, benzyl ester (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	2227 mg/kg

Ethylene brassylate (105-95-3)	
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	> 5000 mg/kg

Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	2490 mg/kg

Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	3600 mg/kg

Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	4500 mg/kg

Oranger Crystals (93-08-3)	
	> 2000 mg/kg

Phenylethyl acetate (103-45-7)	
LD50 dermal rabbit	6210 mg/kg
LD50 oral rat	3670 mg/kg

Cyclamal (103-95-7)	
	> 5000 mg/kg
LD50 oral rat	3810 mg/kg

Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])
LD50 dermal rabbit	> 5000 mg/kg
LD50 oral rat	14550 mg/kg

Heliotropine crystals (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])
	> 5000 mg/kg

Coffee Flower & Vanilla

Safety Data Sheet

Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg
Benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Partition coefficient n-octanol/water (Log Pow)	4
LD50 dermal rabbit	4000 mg/kg
LD50 oral rat	500 mg/kg
bourgeonal (18127-01-0)	
LD50 dermal rabbit	> 5 g/kg
LD50 oral rat	2700 mg/kg
myrac aldehyde (37677-14-8)	
LD50 oral rat	7500 µl/kg
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg

12.2. Persistence and degradability

Coffee Flower & Vanilla #	
Persistence and degradability	No additional information available
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Coffee Flower & Vanilla #	
Bioaccumulative potential	No additional information available
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Bioaccumulative potential	Not established.

12.4. Mobility in soil

Coffee Flower & Vanilla #	
Mobility in soil	No additional information available
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology
Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	See section 12.1 on ecotoxicology

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

SECTION 14: Transport information

14.1. UN number

UN-No. (UN RTDG)	: 3082
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082

14.2. Proper Shipping Name

Proper Shipping Name (UN RTDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bacdanol)
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bacdanol)
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s. (Bacdanol)


14.3. Transport hazard class(es)

UN RTDG

Coffee Flower & Vanilla


Safety Data Sheet

Transport hazard class(es) (UN RTDG) : 9
Hazard labels (UN RTDG) : 9




IMDG

Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



14.4. Packing group

Packing group (UN RTDG) : III
Packing group (IMDG) : III
Packing group (IATA) : III

14.5. Environmental hazards

Dangerous for the environment : True
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

UN RTDG

Special provision (UN RTDG) : 274, 331, 335, 375
Limited quantities (UN RTDG) : 5L
Excepted quantities (UN RTDG) : E1
Packing instruction (UN RTDG) : P001, IBC03, LP01
Special packing provisions (UN RTDG) : PP1
Portable tank and bulk container special instructions (UN RTDG) : T4
Portable tank and bulk container special provisions (UN RTDG) : TP1, TP29

IMDG

Special provision (IMDG) : 274, 335, 969
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
Packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage) : S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG) : A

IATA

PCA Excepted quantities (IATA) : E1

Coffee Flower & Vanilla

Safety Data Sheet

PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

14.8. Hazchem or Emergency Action Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Linalool (78-70-6)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003500

2-Hydroxybenzoic acid, benzyl ester (118-58-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003501

Benzyl acetate (140-11-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR002908

Geraniol (106-24-1)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003176

Oranger Crystals (93-08-3)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR005461

Linalyl acetate (115-95-7)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003499

Benzyl benzoate (120-51-4)

Hazardous Substances and New Organisms Act

HSNO Approval Number : HSR003504

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Issue date : 1/28/2022

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Acute Tox. 5 (Oral)	Acute toxicity (oral) Category 5
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment — Acute Hazard Category 2

Coffee Flower & Vanilla

Safety Data Sheet

Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 4	Flammable liquids Category 4
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), New Zealand

The data contained in this Safety Data Sheet is accurate to the best knowledge of Zen Aroma applies to the product as supplied by Zen Aroma and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Zen Aroma assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact support@zenaroma.co.nz