

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 2/3/2016 Revision date: 2/26/2020 Supersedes: 6/15/2016 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Product name : Pomegranate

UFI : 7Y40-K3JW-J00D-Y8U3

Product code : 33638F

Type of product : Perfumes, fragrances
Product group : Finished Good

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ZEN AROMA 22c Portside Drive Mt Maunganui, 3116 New Zealand PH: 07 578 4755

support@zenaroma.co.nz

#### 1.4. Emergency telephone number

Emergency number 0800 764 766 NZ Poisons Centre

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Methyl oct-2-ynoate; Hexyl cinnamic aldehyde; Aldehyde C-16; Benzyl benzoate

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Benzyl benzoate	(CAS-No.) 120-51-4 50.2 – 70 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33		Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411		
Aldehyde C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8 (REACH-no) 01-2119967770-28	C-No.) 201-061-8			
Hexamethylindanopyran			Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
Verdox	(CAS-No.) 88-41-5 (EC-No.) 201-828-7 (REACH-no) 01-2119970713-33		Aquatic Chronic 2, H411		
Dimethylbenzyl carbinyl butyrate(DMBCB)	(CAS-No.) 10094-34-5 (EC-No.) 233-221-8 (REACH-no) 01-2120742578-44	1 – 2	Skin Irrit. 2, H315 Aquatic Chronic 2, H411		
Aldehyde C-14	(CAS-No.) 104-67-6 0.875 – 1.75 (EC-No.) 203-225-4 (REACH-no) 01-2119959333-34		Aquatic Chronic 3, H412		
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	0.75 – 1.5	Eye Irrit. 2, H319		
Citronellyl acetate (mixed Isomers)	(CAS-No.) 150-84-5 (EC-No.) 205-775-0	0.75 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411		
Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.) 225-582-5	0.5 – 1	Acute Tox. 4 (Oral), H302		
Hexyl cinnamic aldehyde	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	0.5 – 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411		

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate substance with a Community workplace exposure limit	(CAS-No.) 141-78-6 (EC-No.) 205-500-4 (EC Index-No.) 607-022-00-5 (REACH-no) 01-2119475103-46	0.25 – 0.5	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336	
Methyl oct-2-ynoate	(CAS-No.) 111-12-6 (EC-No.) 203-836-6	0.25 – 0.5	Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Skin Sens. 1A, H317	
Lime oil distilled	(CAS-No.) 8008-26-2 (EC-No.) 290-010-3;616-919-0	0.1 – 0.2	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412	
Liffarome	(CAS-No.) 67633-96-9 (EC-No.) 266-797-4	0.1 – 0.2	Skin Sens. 1B, H317	

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical
	advice (show the label where possible). Call a poison center or a doctor if you feel unwell

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash with plenty of water/.... If skin irritation or rash occurs:

followed by warm water rinse. Wash with plenty of water/.... If skin irritation or rash occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see Wash skin with plenty of water, Call a physician immediately on this label). Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON

CENTER/doctor if you feel unwell. Rinse mouth. Call a poison center or a doctor if you feel

unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.
Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection.
 Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

**Emergency procedures** 

: Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

#### 7.3. Specific end use(s)

No additional information available

2/26/2020 (Version: 1.0) EN (English) 4/16

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Ethyl acetate (141-78-6)				
EU - Occupational Exposure Limits				
IOELV TWA (mg/m³)	734 mg/m³			
IOELV TWA (ppm)	200 ppm			
IOELV STEL (mg/m³)	1468 mg/m³			
IOELV STEL (ppm)	400 ppm			
Austria - Occupational Exposure Limits				
MAK (mg/m³)	734 mg/m³			
MAK (ppm)	200 ppm			
MAK Short time value (mg/m³)	1468 mg/m³			
MAK Short time value (ppm)	400 ppm			
Belgium - Occupational Exposure Limits				
Limit value (mg/m³)	734 mg/m³			
Limit value (ppm)	200 ppm			
Short time value (mg/m³)	1468 mg/m³			
Short time value (ppm)	400 ppm			
Bulgaria - Occupational Exposure Limits				
OEL TWA (mg/m³)	734 mg/m³			
OEL TWA (ppm)	200 ppm			
OEL STEL (mg/m³)	1468 mg/m³			
OEL STEL (ppm)	400 ppm			
Croatia - Occupational Exposure Limits				
GVI (granična vrijednost izloženosti) (mg/m³)	734 mg/m³			
GVI (granična vrijednost izloženosti) (ppm)	200 ppm			
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	1468 mg/m³			
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	400 ppm			
Cyprus - Occupational Exposure Limits	•			
OEL TWA (mg/m³)	734 mg/m³			
OEL TWA (ppm)	200 ppm			
OEL STEL (mg/m³)	1468 mg/m³			
OEL STEL (ppm)	400 ppm			
Czech Republic - Occupational Exposure Limits				
Expoziční limity (PEL) (mg/m³)	700 mg/m³			
Denmark - Occupational Exposure Limits				
Grænseværdie (langvarig) (mg/m³)	540 mg/m <sup>3</sup>			
Grænseværdie (langvarig) (ppm)	150 ppm			

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)					
Estonia - Occupational Exposure Limits					
OEL TWA (mg/m³)	500 mg/m³				
OEL TWA (ppm)	150 ppm				
OEL STEL (mg/m³)	1100 mg/m³				
OEL STEL (ppm)	300 ppm				
Finland - Occupational Exposure Limits					
HTP-arvo (8h) (mg/m³)	730 mg/m³				
HTP-arvo (8h) (ppm)	200 ppm				
HTP-arvo (15 min)	1470 mg/m³				
HTP-arvo (15 min) (ppm)	400 ppm				
France - Occupational Exposure Limits					
VME (mg/m³)	1400 mg/m³				
VME (ppm)	400 ppm				
Germany - Occupational Exposure Limits (TRGS 90	00)				
Occupational exposure limit value (mg/m³)	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)				
Occupational exposure limit value (ppm)	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)				
Gibraltar - Occupational Exposure Limits					
Eight hours mg/m3	200 mg/m³				
Eight hours ppm	734 ppm				
Short-term mg/m3	400 mg/m³				
Short-term ppm	1468 ppm				
Greece - Occupational Exposure Limits					
OEL TWA (mg/m³)	734 mg/m³				
OEL TWA (ppm)	200 ppm				
OEL STEL (mg/m³)	1468 mg/m³				
OEL STEL (ppm)	400 ppm				
Hungary - Occupational Exposure Limits					
AK-érték	734 mg/m³				
CK-érték	1468 mg/m³				
OEL chemical category (HU)	Sensitizer				
Ireland - Occupational Exposure Limits					
OEL (8 hours ref) (mg/m³)	734 mg/m³				
OEL (8 hours ref) (ppm)	200 ppm				
OEL (15 min ref) (mg/m3)	1468 mg/m³				
OEL (15 min ref) (ppm)	400 ppm				
Latvia - Occupational Exposure Limits					
OEL TWA (mg/m³)	200 mg/m³				
OEL TWA (ppm)	54 ppm				

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)		
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	500 mg/m³	
IPRV (ppm)	150 ppm	
NRV (mg/m³)	1100 mg/m³	
NRV (ppm)	300 ppm	
Luxembourg - Occupational Exposure Limits		
OEL STEL (mg/m³)	1468 mg/m³	
OEL STEL (ppm)	400 ppm	
Malta - Occupational Exposure Limits		
OEL TWA (mg/m³)	734 mg/m³	
OEL TWA (ppm)	200 ppm	
OEL STEL (mg/m³)	1468 mg/m³	
OEL STEL (ppm)	400 ppm	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 8H (mg/m³)	734 mg/m³	
Grenswaarde TGG 15MIN (mg/m³)	1468 mg/m³	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	734 mg/m³	
NDSCh (mg/m³)	1468 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (ppm)	400 ppm	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	400 mg/m <sup>3</sup>	
OEL TWA (ppm)	111 ppm	
OEL STEL (mg/m³)	500 mg/m <sup>3</sup>	
OEL STEL (ppm)	139 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (priemerná) (mg/m³)	734 mg/m³	
NPHV (priemerná) (ppm)	200 ppm	
NPHV (Hraničná) (mg/m³)	1100 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	734 mg/m³	
OEL TWA (ppm)	200 ppm	
OEL STEL (mg/m³)	1468 mg/m³	
OEL STEL (ppm)	400 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	734 mg/m³	
VLA-ED (ppm)	200 ppm	
VLA-EC (mg/m³)	1468 mg/m³	
VLA-EC (ppm)	400 ppm	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl acetate (141-78-6)				
Sweden - Occupational Exposure Limits				
nivågränsvärde (NVG) (mg/m³)	500 mg/m³			
nivågränsvärde (NVG) (ppm)	150 ppm			
kortidsvärde (KTV) (mg/m³)	1100 mg/m³			
kortidsvärde (KTV) (ppm)	300 ppm			
United Kingdom - Occupational Exposure Limits				
WEL TWA (mg/m³)	734 mg/m³			
WEL TWA (ppm)	200 ppm			
WEL STEL (mg/m³)	1468 mg/m³			
WEL STEL (ppm)	400 ppm			
Norway - Occupational Exposure Limits				
Grenseverdier (AN) (mg/m³)	734 mg/m³			
Grenseverdier (AN) (ppm)	200 ppm			
Grenseverdier (Korttidsverdi) (mg/m3)	917.5 mg/m³ (value calculated)			
Grenseverdier (Korttidsverdi) (ppm)	250 ppm (value calculated)			
Switzerland - Occupational Exposure Limits				
MAK (mg/m³)	730 mg/m³			
MAK (ppm)	200 ppm			
KZGW (mg/m³)	1460 mg/m³			
KZGW (ppm)	400 ppm			
USA - ACGIH - Occupational Exposure Limits				
ACGIH TWA (ppm)	400 ppm			

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:	
Wear protective gloves.	

Eye protection:
Chemical goggles or safety glasses. Safety glasses

Skin and body protection:	
Wear suitable protective clothing	

Respiratory prot	tection:
Wear appropriate	e mask

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Personal protective equipment symbol(s):



#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Odour : characteristic. Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point

Flash point : 93.33 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density :  $\approx 1.08$ 

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

_								
-		m	^	~	ra	n	2	tم
_	u		e	u	ıa	ш	а	ш

ATE CLP (oral) 707.867 mg/kg bodyweight

#### **Ethyl acetate (141-78-6)**

LD50 oral rat	5620 mg/kg
LD50 dermal rabbit	> 18000 mg/kg
LC50 inhalation rat (ppm)	4000 ppm/4h

#### Veltol plus crystals (4940-11-8)

LD50 oral rat	1150 mg/kg
LD50 oral	1200 mg/kg bodyweight

#### Methyl oct-2-ynoate (111-12-6)

LD50 oral rat 1530 mg/kg

#### Citronellyl acetate (mixed Isomers) (150-84-5)

LD50 oral rat 6800 mg/kg

#### Verdox (88-41-5)

LD50 oral rat	4600 mg/kg
LD50 oral	4600 mg/kg bodyweight

## Vanillin (121-33-5)

LD50 dermal rabbit > 5010 mg/kg

#### Dimethylbenzyl carbinyl butyrate(DMBCB) (10094-34-5)

LD50 oral rat > 5 g/kg

#### Aldehyde C-16 (77-83-8)

LD50 oral rat 5470 mg/kg

#### Aldehyde C-14 (104-67-6)

LD50 oral rat 18500 mg/kg

## Benzyl benzoate (120-51-4)

LD50 oral rat 500 mg/kg

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight

Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h

Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg

Lime oil distilled (8008-26-2)	
LD50 oral rat	> 5 g/kg

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity Not classified Carcinogenicity Not classified

: Not classified Reproductive toxicity

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met. Harmful if swallowed.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

: Toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

: Toxic to aquatic life with long lasting effects.

(chronic)

Ethyl acetate (141-78-6)	
LC50 fish 1	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
EC50 Daphnia 1	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Veltol plus crystals (4940-11-8)	
LC50 fish 1	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

# Pomegranate Safety Data Sheet

Citronellyl acetate (mixed Isomers) (150-84	<sup>-3</sup> / <sub></sub>
LC50 fish 1	6.1 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Vanillin (121-33-5)	
LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])
Aldehyde C-16 (77-83-8)	
LC50 fish 1	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
Aldehyde C-14 (104-67-6)	
LC50 fish 1	569 mg/l 96 h
EC50 Daphnia 1	5.85 mg/l 48 h
EC50 other aquatic organisms 1	5.94 mg/l 72 h
Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l
Hexamethylindanopyran (1222-05-5)	
LC50 fish 1	0.452 mg/l Wolf, 1996d-27682
LC50 other aquatic organisms 1	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 Daphnia 2	260 μg/l REACH Dossier
EC50 other aquatic organisms 1	0.131 mg/l REACH Dossier
12.2. Persistence and degradability	
Pomegranate	
Persistence and degradability	Not established.
Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
Pomegranate	
Bioaccumulative potential	Not established.
Ethyl acetate (141-78-6)	
BCF fish 1	30
Partition coefficient n-octanol/water (Log Pow)	0.6
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Ecology - waste materials

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.

: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable

2/26/2020 (Version: 1.0) EN (English) 13/16

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:	
Reference code Applicable on	
3(a)	Ethyl acetate ; Lime oil distilled
3(b)	Pomegranate; Ethyl acetate; Lime oil distilled; Methyl oct-2-ynoate; Citronellyl acetate (mixed Isomers); Liffarome; Dimethylbenzyl carbinyl butyrate(DMBCB); Hexyl cinnamic aldehyde; Aldehyde C-16; Benzyl benzoate
3(c)	Pomegranate; Lime oil distilled; Verdox; Methyl oct-2-ynoate; Citronellyl acetate (mixed Isomers); Dimethylbenzyl carbinyl butyrate(DMBCB); Hexyl cinnamic aldehyde; Aldehyde C-14; Aldehyde C-16; Benzyl benzoate; Hexamethylindanopyran
40.	Ethyl acetate ; Lime oil distilled

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Liffarome is listed

SZW-lijst van mutagene stoffen : Liffarome is listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

: None of the components are listed

2/26/2020 (Version: 1.0) EN (English) 14/16

## Pomegranate #33638F

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Other information : None.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:	
Acute Tox. 4 (Oral)	H302
Skin Sens. 1	H317
Aquatic Chronic 2	H411

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H224	Extremely flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), New Zealand

The data contained in this Safety Data Sheet is accurate to the best knowledge of Zen Aroma applies to the product as supplied by Zen Aroma and does not relate to use in combination with any other material or in any process. Data and information is furnished without warranty expressed or implied, nor does Zen Aroma assume responsibility for use or reliance upon this data.

This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body. For the most current SDS information please contact support@zenaroma.co.nz